

# Can 1- and 2-year-old toddlers learn causal action sequences?

**Emma C. Tecwyn (emma.tecwyn@bcu.ac.uk)**

Department of Psychology, School of Social Sciences, Curzon Building, 4 Cardigan Street, Birmingham, B4 7BD UK

**Nafisa Mahbub (nafisa.mahbub@mail.utoronto.ca)**

Department of Psychology, 100 St. George Street, Toronto, ON M1L 4R3 Canada

**Nishat Kazi (nishat.kazi@mail.utoronto.ca)**

Department of Psychology, 100 St. George Street, Toronto, ON M1L 4R3 Canada

**Daphna Buchsbaum (daphna@brown.edu)**

Department of Cognitive, Linguistic & Psychological Sciences, 190 Thayer Street, Providence, RI 02912 USA

## Abstract

Toddlers can learn cause-effect relationships between single actions and outcomes. However, real-world causality is often more complex. We investigated whether toddlers (12- to 35-month-olds) can learn that a sequence of two actions is causally necessary, from observing the actions of an adult demonstrator. In Experiment 1, toddlers saw evidence that performing a two-action sequence (AB) on a puzzle-box was necessary to produce a sticker, and evidence that B alone was not sufficient. Toddlers were then given the opportunity to interact with the box and retrieve up to five stickers. Toddlers had difficulty reproducing the required two-action sequence, with the ability to do so improving with age. In Experiment 2, toddlers saw evidence that performing a single action (B) was sufficient to produce an effect (i.e., a sequence was not causally necessary). Toddlers were more successful and performed fewer sequences in Experiment 2, suggesting some sensitivity to the sequential causal structure.

**Keywords:** Causal reasoning, Cognitive development, Social learning, Sequence learning

## Introduction

The physical and social worlds are governed by a variety of simple and complex causal relationships. Sequences of multiple actions that need to be performed in a specific order to achieve a goal are common in our everyday routines. Take for instance getting a coke from a vending machine. What are the steps you would take to retrieve this item? Do you find the price and code for the item on the machine first? Do you enter the code before you insert your coins into the slot? What if the item gets stuck in the machine? Understanding that a sequence of actions is necessary to bring about an effect, and that these steps must be performed in a particular order (e.g., you must enter the item code before inserting the coins) enables us to predict subsequent events and to intervene on and manipulate our environment to achieve our goals. It has been suggested that our ability to encode sequential information may set us apart from other species (Ghirlanda et al., 2017).

From a young age, children use causality as a guiding principle for learning about the mechanisms of their environment, their own behaviour and that of others (see

Muentener & Bonawitz, 2017; Sobel & Legare, 2014 for recent reviews). Research has shown that from preschool age, children are able to understand many of the principles governing causal relationships, such as covariation—that causes and effects co-occur, with causes predicting effects (Shultz & Mendelson, 1975; Mendelson & Shultz, 1976; Irwin, 1996), and temporal priority—that causes must precede their events in time (Bullock & Gelman; 1979; Rankin & McCormack, 2013).

Even 12- to 24-month-olds show relatively complex understanding of cause-effect scenarios, including understanding conditional independence (Sobel and Kirkham, 2006); applying causal rules based on abstract relations (Walker & Gopnik, 2014) and higher-order generalisations (Sim & Xu, 2017); and the ability to apply learned causal functions to solve novel problems (Goddu & Gopnik, 2020). In some causal reasoning tasks, toddlers even outperform preschoolers (e.g., Walker & Gopnik, 2014).

Young children, including toddlers, can learn causal structure by observing and copying more knowledgeable individuals (e.g., Meltzoff et al., 2012). Studies of deferred imitation suggest 11.5- and 13.5-month-old infants can remember order information for short novel sequences (e.g., Bauer & Mandler, 1992), but recall is better when sequences involve *enabling* causal relations—i.e., when one action enables the next to be performed. In enabling situations, the actions can only be performed in one specific order (e.g., unlocking a box enables the lid to be lifted; Bauer, 1992).

Further evidence that enabling sequences are easier for young children to reproduce comes from a study by Brugger et al. (2007), who demonstrated two actions leading to an interesting effect to 14- to 16-month-olds. When a two-action sequence was causally necessary due to an enabling causal relation, toddlers were more likely to copy the sequence than when the first action was not causally necessary. However, even in the enabling scenario, only 29% of participants reproduced the demonstrated sequence, whereas 39% performed either the first or the second action, but not both.

Similarly, Carpenter et al. (1998) found that 14- and 18-month-old infants were able to readily reproduce a single demonstrated action out of two possible actions, but when

presented with a two-action sequence, only 6/20 infants spontaneously reproduced the demonstration in the correct order. These findings suggest that infants and toddlers can reproduce short action sequences—especially if they involve enabling causal relations—but they do not do so reliably.

The extent to which even older children can reliably copy a sequence of actions in the correct order is not entirely clear. Studies of overimitation (the faithful copying of even causally unnecessary actions) with preschoolers have shown that they can copy multiple novel actions to achieve a goal (e.g., Horner & Whiten, 2005; Lyons et al., 2007). However, whether these actions are performed in the correct sequence is not often explicitly coded for, and there is evidence that 4- and 5-year-olds can struggle to acquire temporal information for arbitrary action sequences (Loucks & Price, 2019).

Previous work has shown that preschoolers readily reproduce a two-action sequence in the correct order, when it is ambiguous whether the first action is causally necessary to enable the second one (Buchsbaum et al., under revision). Specifically, when 3- to 5-year-olds watched a demonstrator perform a sequence of two actions (AB) on a causally opaque puzzle-box, that led to a desirable effect (E, a sticker dispensing from a box), they faithfully copied the sequence, performing actions in the correct order. In contrast, when 18- to 30-month-old toddlers watched the same demonstration, they did not reproduce the sequence; instead, they tended only to perform the second action (B) from the sequence (Tecwyn et al., 2020). Additional research using a similar paradigm suggests that a recency effect does not account for toddlers' tendency to only reproduce the second action that they saw. When 12- to 35-month-olds watched a demonstrator perform A, following which a sticker dispensed (effect E), following which a second action (B) was performed, they were significantly more likely to (correctly) manipulate A than B (Tecwyn et al., in prep)—the opposite of what would be predicted by a recency effect.

These previous findings, together with earlier research with infants and toddlers (e.g., Bauer & Mandler, 1992; Bruggers et al., 2007; Carpenter et al., 1998) raise the possibility that toddlers have difficulty learning simple causal action sequences via observation, and/or reproducing them, especially when the relations between the actions are non-enabling. If this is the case, there are potential implications for the development of causal learning, but also for social learning more broadly, particularly in relation to learning how to operate causally opaque cultural artefacts. For example, it might go some way to explaining why faithful overimitation increases across early childhood (Chudek et al., 2016; Hoehl et al., 2019; McGuigan & Whiten, 2009).

However, in the earlier study where toddlers saw AB-E demonstrated, and primarily intervened on just B (Tecwyn et al., 2020), the demonstration was purposefully ambiguous in terms of whether the AB sequence was actually necessary to produce the effect (and in fact, only action B was necessary). Thus, to further probe toddlers' ability to learn and reproduce simple causal action sequences, in the present study we asked whether toddlers could learn the correct causal structure in an

observational learning paradigm, when the demonstrations they see provide unambiguous evidence regarding whether a sequence is necessary or unnecessary for generating a desirable outcome.

In Experiment 1, we asked whether toddlers grasp that a sequence of two actions is causally necessary when they see unambiguous evidence that a single action is not sufficient to produce the desirable outcome, but that the sequence does produce the outcome. One- and two-year-olds observed an experimenter manipulate a puzzle-box by performing action A (e.g., pushing a button) followed by action B (e.g., sliding a handle) to produce an effect E (dispensing a sticker, Figure 1). They also observed the demonstrator perform only action B, which did not lead to a sticker being dispensed. Toddlers then had the chance to interact with the box themselves and retrieve up to five stickers. If toddlers can infer the correct causal structure from the observed evidence (i.e., that the AB sequence is necessary), then they should act on A first, followed by B. If toddlers perform A followed by B in quick succession (like the demonstrator), then this would be particularly compelling evidence that they grasp that the sequence is causally necessary.

In comparison, in Experiment 2, one- and two-year-olds-month-olds saw evidence that only the single action B was causally necessary. Specifically, they saw a demonstration that both the two-action sequence (AB) and the single action B led to a sticker being dispensed. If toddlers can learn simple causal sequences, then they should produce AB sequences in Experiment 1, and should produce more in Experiment 1 than Experiment 2, even though they have seen AB and B performed equally in both experiments. On the other hand, if they have difficulty learning sequences and inferring that a sequence is necessary, then they should perform relatively few sequences and have more difficulty successfully retrieving stickers in Experiment 1 than Experiment 2. Finally, if they just copy the single final action that they saw precede the effect (as in Tecwyn et al., 2020), then they should act on B first equally in both cases.

## Experiment 1

### Participants

Fifty-five 12- to 35-month-old children were included in Experiment 1 ( $M_{\text{age, months}} = 23.89$ ). Nineteen additional participants were tested but their data excluded due to: equipment failure ( $N = 8$ ), experimenter error ( $N = 2$ ), parental or sibling interference ( $N = 6$ ), and did not complete session due to distraction ( $N = 3$ ). An additional 12 toddlers participated but did not interact with the puzzle-box at all and therefore did not provide any data.

### Materials and Procedures

**Stimuli** A customized wooden puzzle-box was used as in Tecwyn et al. (2020), see Figure 1. The box had three different-coloured, interchangeable front panels, each with two distinct actions equidistant from a sticker dispenser. The assignment of front panels and actions as A and B were

counterbalanced across participants. A rotating motor with seven wells was placed inside the puzzle-box and was covertly activated with a remote by the experimenter to dispense stickers contained in Eppendorf tubes.

The puzzle-box was placed on a low table to ensure accessibility for the toddlers. Cameras recorded from two angles to capture the child's observation during the demonstration phase and manipulation of the box during the action phase. During the sessions, caregivers were either present and seated near the child (off-site testing), or in an observation room, watching the participant through a one-way mirror (in-lab testing).




Figure 1: Example of the puzzle-boxes used in the study

## Procedure

**Acclimatization.** An adult female experimenter (E1) interacted with the child, while turned away from the puzzle-box, to acclimate the child to the testing environment.

**Demonstration.** A second adult female experimenter (E2), in the testing area, did not interact with or acknowledge the child, to minimize the impact of social cues on actions. Once E1 and the child turned towards E2, E1 said, "Oh, it looks like E2 is using the room right now, let's wait for our turn over here, we can watch!" Without acknowledging E1 or the participant, E2 performed two demonstrations. In one demonstration, E2 manipulated A and then B, following which a sticker was dispensed from the puzzle-box (AB-E). E2 picked up the sticker and said, "Oh, a sticker!" before placing it back into the tray. In the other demonstration, E2 manipulated B and then no sticker was dispensed (B-No Effect). E2 placed a hand in the empty tray and said, "Oh, no sticker." E2 then repeated these same two demonstrations in the same order. Which type of demonstration toddlers saw first (AB-E or B-No Effect) was counterbalanced across participants. If a toddler failed to attend to a demonstration, as signalled by E1, it was repeated until they had seen each type twice. Following the demonstrations, E2 acted busy again before suddenly noticing the child saying, "Oh, I'm all done here, you can have a turn!" and leaving the testing area.

**Child Action Phase.** E1 and the child approached the puzzle-box. The participant was able to interact with it to receive up to five stickers. A sticker was dispensed and an activation recorded when the participant manipulated A and then B in that order, irrespective of the time elapsed between these actions and any preceding actions (e.g., BBBAB would activate the puzzle-box). If the participant did not spontaneously interact with the puzzle-box, E1 provided neutral encouragement such as, "It's your turn, you can try

anything!" Once five stickers were dispensed (i.e., the box was activated five times), E2 returned to the testing area and said, "You got all the stickers!", and the session ended. If the participant had not completed five activations but failed to interact with the box for >2 min, the session was also ended.

**Data Scoring and Analysis** All sessions were coded live and then re-coded from footage. Each child could activate the puzzle box up to five times. An activation ended either when the sticker was released or, if the child failed to successfully retrieve a sticker on that activation, when the session ended (the latter could only occur on the final activation performed by a given child). Examples of unsuccessful activations include the participant doing any of the following, followed by no interaction with the puzzle-box for at least 2 min: the interaction of the subject with (1) action A only, (2) action B only, or (3) action B then A. Within each activation, each action was noted in the order in which it was manipulated by the child (e.g. AAAAB). A single action was defined as a distinct touch (e.g. pushing the button in and then letting go) or a continuous hold of A or B with a distinct motion (e.g. holding the button and pressing it in and out without pausing). From this action stream we coded the following:

(1) *Successful activations* (0-5), defined as the number of times action A was manipulated followed by action B, leading to a sticker being dispensed from the box. It was possible for an activation to occur without the actions performed constituting either a strict or loose AB sequence (see below); for example, if a toddler performed BAB.

(2) *Strict AB sequences*, defined as a first touch to A and then B being manipulated within 5 seconds, with no intervening touches to A. This aimed to give a fairly conservative measure of toddlers' sequence reproduction (though still reasonably generous as the demonstration of the AB sequence was more rapid than this).

(3) *Loose AB sequences*, defined as a first touch to A followed by B within any amount of time (and allowing for more than one touch of A, e.g., A...AA...B).

(4) *First touch per activation*, defined as whether toddlers touched A or B first on each puzzle-box activation.

Since not all toddlers completed five successful activations, we analyzed DVs 2-4 as proportions, however analyzing the raw number of each sequence type did not significantly change overall results. Linear regression was used to analyze the effect of age in months on each of the DVs. As follow-up analyses, t-tests were used to compare the performance of 1- vs. 2-year-olds.

## Results and Discussion

In Experiment 1, toddlers successfully activated the puzzle box on average 3.35 out of 5 possible times, and the number of times toddlers successfully activated the box increased significantly with age ( $\beta = 2.00, p < .001$ , Figure 2a). One-year-olds ( $M = 2.37, SD = 2.13$ ) were significantly less successful at activating the box than 2-year-olds ( $M = 4.29, SD = 1.46$ ),  $t(53) = 3.90, p < .001$ . Older toddlers also produced significantly more *strict AB sequences* than




Figure 2: Linear regression of: (a) mean successful activations, (b) proportion of activations preceded by a strict AB sequence, (c) proportion of activations preceded by a loose AB sequence, as a function of age in Experiments 1 and 2.

younger toddlers ( $\beta = .23, p < .001$ , Figure 2b), with 2-year-olds producing significantly more strict sequences ( $M = .27, SD = .33$ ) than 1-year-olds ( $M = .04, SD = .09$ ),  $t(53) = 3.440.3, p < .001$ . The production of *loose AB sequences* showed a similar but weaker trend, ( $\beta = .16, p = .068$ , Figure 2c), with 2-year-olds again producing more loose sequences ( $M = .48, SD = .38$ ) than 1-year-olds ( $M = .29, SD = .35$ ),  $t(53) = 1.93, p = .059$ , but not significantly so. Examination of toddler's *first touch per activation* found that overall they were equally likely to first act on either A or B ( $M = .49, SD = .40$ ),  $t(54) = .25, p = .81$ , and that this was consistent across the age range tested ( $\beta = .005, p = .95$ ).

Overall, when a sequence of two actions performed in a specific order was causally necessary to produce an effect, toddlers were increasingly likely to reproduce that sequence with age. Two-year-olds were more likely to be successful and use either a strict or loose AB sequence (strict: 27%, loose: 48%), than 1-year-olds (strict: 4%, loose: 29%). To further investigate the understanding of sequential causal structure in toddlers, In Experiment 2 we examined toddlers' behavior when they are given evidence that only a single action is causally necessary for the effect, even though a sequence of both actions has still been demonstrated.

## Experiment 2

In Experiment 2, 1- and 2-year-olds saw evidence that only the single action B was causally necessary. Specifically, demonstrations of the two-action sequence (AB) *and* the single action B led to a sticker being dispensed. If toddlers distinguish this evidence from that presented in Experiment 1 and can infer that in this case only B is necessary, then they should produce fewer AB sequences here, even though they have seen AB and B performed equally in both experiments. Given that younger toddlers in Experiment 1 found it challenging to activate the box by performing a sequence, they should be more successful here where a sequence is not necessary. Further, if toddlers are sensitive to the necessity of the sequence in Experiment 1 and its lack of necessity in Experiment 2, then they should produce fewer sequences in Experiment 2.

## Participants

Fifty-four 12- to 35-month-old children who had not participated in Experiment 1 took part in Experiment 2 ( $M_{age}$ ,

months = 24.36). Seventeen additional participants were tested but excluded due to: equipment failure ( $N = 4$ ), experimenter error ( $N = 3$ ), parental or sibling interference ( $N = 9$ ), and did not complete session due to distraction ( $N = 1$ ). An additional 3 children watched the demonstrations but did not interact with the puzzle-box and therefore did not provide any data.

## Materials and Procedures

The methods and procedure were the same as Experiment 1, except for the following changes:

*Demonstration.* As in Experiment 1, E2 manipulated A and then B, following which a sticker was dispensed (AB-E). Next, E2 manipulated B only, and another sticker was dispensed (B-E). The same two demonstration were repeated in the same order and which type of demonstration toddlers saw first (AB-E or B-E) was counterbalanced across participants. Thus, toddlers saw evidence that only the single action B was causally necessary.

*Child Action Phase.* In contrast to Experiment 1 a sticker was dispensed from the puzzle-box whenever the participant acted on B.

## Results and Discussion

In Experiment 2, toddlers successfully activated the puzzle-box on average 4.4 out of 5 possible times. Older toddlers tended to be more successful at activating the puzzle-box than younger toddlers (Figure 2a), but age in months did not significantly predict success ( $\beta = .56, p = .08$ ). Two-year-olds ( $M = 4.75, SD = .52$ ) tended to activate the box more times than 1-year-olds ( $M = 4.08, SD = 1.72$ ), but the difference was not significant ( $t(52) = 1.98, p = .053$ ). As in Experiment 1, older toddlers produced significantly more *strict AB sequences* than younger toddlers,  $\beta = .14, p = .03$ , (Figure 2b), but unlike in Experiment 1 there was no significant difference between 1-year-olds ( $M = .12, SD = .23$ ) and 2-year-olds ( $M = .22, SD = .30$ ),  $t(52) = 1.35, p = .18$ . The production of *loose AB sequences* did not significantly change with age,  $\beta = .11, p = .12$  (Figure 2c). We also examined toddler's *first touch* on each activation, and found that, unlike in Experiment 1, toddlers were significantly more likely to first act on action B,  $M = .74, SD = .32$ , ( $t(53) = 5.43, p < .001$ , and that this was consistent across age groups,  $\beta = .001, p = .98$ ).

In Experiment 2, toddlers activated the puzzle-box most frequently using the action B alone (74%), rather than using a loose AB sequence (22%), with other sequences comprising the remaining 4%. Nonetheless, as in Experiment 1, the tendency to produce strict AB sequences increased with age, even though here a sequence was not causally necessary.

## Comparison of Experiments 1 and 2

In Experiments 1 and 2, toddlers saw the same sets of actions demonstrated by the experimenter; all that differed was which of those actions led to a desirable outcome. To examine the extent to which toddlers may have differentiated the causal evidence observed in Experiments 1 and 2, we used linear regression to examine the effects of experiment (1 or 2) and age (months) on our DVs.

For the *number of successful activations*, there was a significant main effect of experiment  $F(1, 105) = 12.88, p < .001$  as well as age,  $F(1, 105) = 25.08, p < .001$ , and a significant interaction between these factors,  $F(1, 105) = 7.99, p < .001$ . Older toddlers successfully activated the puzzle-box significantly more times than younger toddlers in Experiment 1, whereas success was high across the age range in Experiment 2 (Figure 2a).

For *strict AB sequences*, there was a significant main effect of age,  $F(1, 105) = 10.92, p < .001$ , such that older toddlers produced significantly more strict AB sequences than younger toddlers (Figure 2b). There was no main effect of experiment ( $F(1,105) = .19, p = .66$ ) and no interaction ( $F(1,105) = 1.54, p = .22$ ). For *loose AB sequences* there was a significant main effect of experiment,  $F(1, 105) = 7.73, p = .006$ , as well as age,  $F(1, 105) = 6.00, p = .016$ , but no interaction,  $F(1,105) = .17, p = .68$ .

Toddlers were more likely to produce loose sequences in Experiment 1 than in Experiment 2, and older toddlers were significantly more likely than younger toddlers to produce loose AB sequences in both experiments (Figure 2c). Finally, for the *first touch per activation*, there was a main effect of experiment,  $F(1, 105) = 10.19, p = .002$ , such that toddlers were more likely to touch A first in Experiment 1 than Experiment 2, but no effect of age  $F(1, 105) = .003, p = .96$ , and no interaction ( $F(1,105) = 0.001, p = .98$ ).

Taken together, this comparison of performance between Experiments 1 and 2 shows that toddlers—especially 1-year-olds—found it easier to activate a puzzle-box where only a single action (B) was required (Experiment 2), compared with a puzzle box where a two-action sequence in a specific order (AB) was causally necessary (Experiment 1). The extent to which toddlers produced *strict AB sequences* increased with age and did not differ between experiments, suggesting that, according to this measure, they did not differentiate the causal structures in Experiment 1 vs. Experiment 2. Nonetheless, our *loose AB sequence* measure did reveal a difference in behavior between experiments: performing A followed by B was more common in Experiment 1 where the sequence was causally necessary. In addition, toddlers were more likely to act first on action A in Experiment 1, where A was necessary, than in Experiment 2

where it was not. As with the strict sequence measure, performance of loose sequences increased with age, providing evidence that toddlers, and particularly 1-year-olds, may find it challenging to learn and/or reproduce two-action causal sequences.

## General Discussion

The purpose of this study was to investigate toddlers' capacity to understand that a sequence of actions performed in a particular order can be necessary to bring about an effect. Specifically, we investigated whether 1- and 2-year-olds can learn from observation that a simple two-action sequence (AB) is causally necessary, when they see unambiguous evidence that just a single action (B) is insufficient to produce a desirable effect (Experiment 1). We also investigated whether toddlers of the same age could learn that a sequence was *not* necessary when they saw evidence that both a 2-action sequence (AB) and single action (B) were equally effective (Experiment 2). We compared performance in these two experiments to see whether toddlers behaved differently depending on the evidence they saw, even though the experimenter produced the same sets of actions in both cases.

Our results suggest that the ability to learn simple causal sequences is still developing in early childhood. When a sequence was causally necessary in Experiment 1, 2-year-olds were more successful at activating the puzzle-box and produced more strict AB sequences (a first touch to A followed by B within 5 seconds, comparable to what was demonstrated by the experimenter) than 1-year-olds. However, the production of strict sequences was relatively rare across the age range, suggesting that learning a short causal sequence and reproducing it in the correct order remains challenging in the third year of life. Loose AB sequences (a first touch to A followed by B within any amount of time and allowing for more than one touch of A) were more common, but still produced more by older than younger toddlers.

Our results are consistent with previous studies of toddlers' observational learning of action sequences where they did not reliably reproduce sequences of actions in the correct order (e.g., Bauer & Mandler, 1992; Brugger et al., 2007; Carpenter et al., 1998; Tecwyn et al., 2020). The present study extends this earlier work by demonstrating that even when shown unambiguous evidence that a sequence of actions is causally necessary, toddlers—especially 1-year-olds—still fail to consistently reproduce it. Our finding that the tendency to copy causal action sequences increases across the age range tested also has potential implications for the development of overimitation—the faithful copying of even causally unnecessary actions—which has been shown to increase across early childhood (e.g., Chudek et al., 2016; Hoehl et al., 2019; McGuigan & Whiten, 2009). It is possible that this pattern may at least partly be explained by children's developing ability to learn and reproduce action sequences.

In Experiment 2, where action B alone was causally effective, toddlers across the age range were more successful at activating the puzzle-box than in Experiment 1. Loose AB

sequences were more common in Experiment 1 than 2, and toddlers in Experiment 1 were significantly more likely to act on A first, suggesting that toddlers could, at least to some extent, differentiate the causal necessity of the actions based on evidence provided in the demonstrations.

What might explain toddlers' difficulty with reliably reproducing observed two-action sequences, despite clear evidence that they are causally necessary? One possible explanation for toddlers' behavior in the present study is that younger individuals in particular may hold a prior belief that multi-action causes are unlikely; that is, they may expect single outcomes to have a single cause (Tecwyn et al., 2020), potentially due to a lack of experience with more complex causal systems. This would be consistent with previous imitation studies where toddlers readily copied either one of two demonstrated actions but were less likely to reproduce both (Carpenter et al., 1998).

Another possibility explanation for a low rate of AB sequence reproduction is that toddlers failed to remember what actions they saw the demonstrator perform. We think this is unlikely, given that in previous work they have shown the ability to perform either A or B, depending on the type of demonstration they saw, and do not appear to simply act on the basis of a recency effect (Tecwyn et al., 2020; in prep). However, given evidence that even preschoolers can struggle recall temporal information for action sequences (Loucks & Price, 2019), it is feasible that toddlers find it difficult to remember both of the actions that were performed *and* the order in which they were performed. This may have been made even more challenging in the present study, given that toddlers consecutively watched multiple demonstrations of different types in each experiment, which they may have found challenging to parse.

Finally, toddlers' interactions with the puzzle-box may have been influenced by the social context of the demonstration. Although the experimenters in our study acted intentionally, they did not present as knowledgeable about the puzzle-box. We deliberately chose not to use a pedagogical context to avoid inadvertently encouraging overimitation, or potentially overriding the crucial statistical information with ostensive cues (e.g., Marno & Csibra, 2015). However, this may have had the unintended consequence that toddlers viewed the experimenter as exploring the box and wondering why it failed, rather than demonstrating how it works. In addition, the demonstration of the single action B in Experiment 1 (which was necessary to demonstrate its ineffectiveness) may have suggested to toddlers that this action was expected by the demonstrator to be causally effective, but it failed, which may have prompted toddlers to explore the puzzle-box, rather than to act efficiently. Future research could examine the effect of explicit teaching cues on toddlers' behaviour in this task (but see Tecwyn et al., 2020, for a lack of evidence that toddlers are sensitive to demonstrator intentionality in a similar paradigm).

In Experiment 1, where an AB sequence was causally necessary, we anecdotally observed that a number of toddlers

performed the actions BAB consecutively, which is also a valid causal sequence (though the first B is unnecessary). Further analysis of the timing of and duration between toddlers' actions will be conducted to disentangle alternative potential explanations for this unexpected behavior. For example, it is possible that some toddlers believed that BAB was the causally necessary sequence—potentially due to seeing the two types of demonstration (e.g., B-No Effect; AB-E) performed consecutively—in which case we would expect short durations between actions. Alternatively, this pattern could emerge if toddlers believed that B alone was causal, tried it and found it to be ineffective, so tried A, and then at some point performed B again, which activated the box (due to A being manipulated followed by B). This could then reinforce the belief that B was the sole cause. In this case we would expect quite different action execution timings.

In the present study, we were specifically interested in causal sequence learning in the context of a causally opaque puzzle-box. However, given that prior evidence suggests that sequences involving enabling causal relations are easier for toddlers to master (Bauer, 1992; Brugger et al., 2007), it would be interesting to investigate whether the ability to learn causal sequences improves when it is visibly obvious that a sequence is causally necessary (e.g., pulling the lever on a transparent box moves the sticker into a position that enables the dial to push it down into the dispenser).

Given that even older 2-year-olds were not at ceiling in the current study, gathering further information about the developmental trajectory of the ability to learn causal sequences seems warranted—particularly seeing as previous studies where the copying of different actions is a key variable (e.g., overimitation studies) have not always coded the temporal order of action reproduction (Loucks & Price, 2019). To this end, ongoing work is testing preschoolers with the task used in the present study.

In summary, although toddlers show relatively sophisticated causal reasoning skills in some observational learning tasks (e.g., Meltzoff et al., 2012; Walker & Gopnik, 2014), this study suggests that, at least in the context of a causally opaque puzzle-box, the ability to learn simple causal action sequences via observation is still developing in the third year of life. Although toddlers were more likely to reproduce two-action sequences when they observed evidence of the causal necessity of both actions, younger toddlers were more successful at activating the puzzle-box when only a single action was required. Young toddlers may struggle to represent multiple actions and their temporal order in memory, or perhaps have a prior belief that single outcomes have single-action causes. Given the potential implications for the early development of causal reasoning, as well as for social learning and overimitation, further work to investigate the cognitive mechanisms underlying the developmental trajectory observed in this study is warranted.

### Acknowledgments

We would like to thank Justine Biado, Melisa Trujilo, Sara Saini, and Tran Thai for their assistance with data collection.

We are also grateful to the Royal Ontario Museum and Ontario Science Centre for hosting this research. We also thank the three anonymous reviewers for their thoughtful comments and suggestions on a previous version of this manuscript. We acknowledge the support of the Natural Sciences and Engineering Research Council of Canada (NSERC, 2016- 05552).

## References

- Bauer, P. J. (1992). Holding it all together: How enabling relations facilitate young children's event recall. *Cognitive Development*, 7(1), 1-28.
- Bauer, P. J., & Mandler, J. M. (1992). Putting the Horse before the Cart: The Use of Temporal Order in Recall of Events by One-Year-Old Children. *Developmental Psychology*, 28(3), 441-452.
- Brugger, A., Lariviere, L. A., Mumme, D. L., & Bushnell, E. W. (2007). Doing the Right Thing: Infants' Selection of Actions to Imitate From Observed Event Sequences. *Child Development*, 78(3), 806-824.
- Bullock, M., & Gelman, R. (1979). Preschool children's assumptions about cause and effect: Temporal ordering. *Child Development*, 50(1), 89-96.
- Buchsbaum, D., Tecwyn, E. C., Whalen, A., Messer, E. J. E., Bryant, E. L. F., Griffiths, T. L., Gopnik, A. & Seed, A. M. (under revision). Children, but not capuchins, rationally integrate social and physical information when deciding which actions to copy.
- Carpenter, M., Akhtar, N., & Tomasello, M. (1998). Fourteen- through 18-month-old infants differentially imitate intentional and accidental actions. *Infant Behavior and Development*, 21(2), 315-330.
- Chudek, M., Baron, A. S., & Birch, S. (2016). Unselective overimitators: The evolutionary implications of children's indiscriminate copying of successful and prestigious models. *Child Development*, 87(3), 782-794.
- Ghirlanda, S., Lind, J., & Enquist, M. (2017). Memory for stimulus sequences: a divide between humans and other animals? *Royal Society Open Science*, 4(6), 161011.
- Goddu, M. K., & Gopnik, A. (2020). Learning what to change: Young children use "difference-making" to identify causally relevant variables. *Developmental Psychology*, 56(2), 275-294.
- Hoehl, S., Keupp, S., Schleihauf, H., McGuigan, N., Buttellmann, D., & Whiten, A. (2019). 'Over-imitation': A review and appraisal of a decade of research. *Developmental Review*, 51, 90-108.
- Horner, V., & Whiten, A. (2005). Causal Knowledge and Imitation/Emulation Switching in Chimpanzees (Pan troglodytes) and Children (Homo sapiens). *Animal Cognition*, 8(3), 164-181.
- Irwin, K. C. (1996). Children's Understanding of the Principles of Covariation and Compensation in Part-Whole Relationships. *Journal for Research in Mathematics Education*, 27(1), 25-40.
- Loucks, J., & Price, H. L. (2019). Memory for temporal order in action is slow developing, sensitive to deviant input, and supported by foundational cognitive processes. *Developmental Psychology*, 55(2), 263-273.
- Lyons, D. E., Young, A. G., & Keil, F. C. (2007). The hidden structure of overimitation. *Proceedings of the National Academy of Sciences of the United States of America*, 104(50), 19751-19756.
- Marno, H., & Csibra, G. (2015). Toddlers favor communicatively presented information over statistical reliability in learning about artifacts. *PloS One*, 10(3), e0122129.
- McGuigan, N., & Whiten, A. (2009). Emulation and "overemulation" in the social learning of causally opaque versus causally transparent tool use by 23-and 30-month-olds. *Journal of Experimental Child Psychology*, 104(4), 367-381.
- Meltzoff, A. N., Waismeyer, A., & Gopnik, A. (2012). Learning about causes from people: Observational causal learning in 24-month-old infants. *Developmental psychology*, 48(5), 1215-1228.
- Mendelson, R., & Shultz, T. R. (1976). Covariation and temporal contiguity as principles of causal inference in young children. *Journal of Experimental Child Psychology*, 22(3), 408-412.
- Muentener, P., & Bonawitz, E. (2017). The development of causal reasoning. In M. R. Waldman (Ed.), *The Oxford Handbook of Causal Reasoning* (pp. 677-698). Oxford University Press, New York.
- Rankin, M. L., & McCormack, T. (2013). The temporal priority principle: At what age does this develop? *Frontiers in Psychology*, 4(178), fpsyg.2013.00178.
- Shultz, T. R., & Mendelson, R. (1975). The use of covariation as a principle of causal analysis. *Child Development*, 46(2), 394-399.
- Sim, Z. L., & Xu, F. (2017). Infants preferentially approach and explore the unexpected. *The British Journal of Developmental Psychology*, 35(4), 596-608.
- Sobel, D. M., & Kirkham, N. Z. (2006). Blickets and babies: The development of causal reasoning in toddlers and infants. *Developmental Psychology*, 42(6), 1103-1115.
- Sobel, D. M., & Legare, C. H. (2014). Causal learning in children. *WIREs Cognitive Science*, 5(4), 413-427.
- Tecwyn, E. C., Seed, A. M., & Buchsbaum, D. (2020). Sensitivity to Ostension is Not Sufficient for Pedagogical Reasoning by Toddlers. . In S. Denison., M. Mack, Y. Xu, & B.C. Armstrong (Eds.), *Proceedings of the 42<sup>nd</sup> Annual Conference of the Cognitive Science Society* (pp. 2670-2676). Cognitive Science Society.
- Tecwyn, E. C., Mazumder, P., & Buchsbaum, D. (in prep). Toddlers' causal interventions reveal a grasp of the temporal priority principle.
- Walker, C. M., & Gopnik, A. (2014). Toddlers Infer Higher-Order Relational Principles in Causal Learning. *Psychological Science*, 25(1), 161-169.